





## CLAD AND WOOD SLIDE-BY OPERATING UNITS

Clad	Unit	2' - 5 5/16"	2' - 11 1/16"	3' - 11 1/16"	4' - 11 1/16"	5' - 11 1/16"	
Rough Opening	Frame Size	2' - 6 1/16"	3' - 0 1/16"	4' - 0 1/16"	5' - 0 1/16"	6' - 0 1/16"	
Glass		2' - 5 5/16"	2' - 11 1/16"	3' - 11 1/16"	4' - 11 1/16"	5' - 11 1/16"	
		11 1/16"	14 11/16"	20 11/16"	26 11/16"	32 11/16"	
1' - 11 1/16" 2' - 0 5/16" 1' - 11 1/16" 18"							2' 1 1/16" 2' 0 5/8" 1' 11 1/8" 18"
	SCSL2620 SPSL2620	SCSL3020 SPSL3020	SCSL4020 SPSL4020	SCSL5020 SPSL5020	SCSL6020 SPSL6020		
2' - 5 5/16" 2' - 6 5/16" 2' - 5 5/16" 24"							2' 7 1/16" 2' 6 5/8" 2' 5 7/8" 24"
	SCSL2626 SPSL2626	SCSL3026 SPSL3026	SCSL4026 SPSL4026	SCSL5026 SPSL5026	SCSL6026 SPSL6026		
2' - 11 1/16" 3' - 0 5/16" 2' - 11 1/16" 30"							3' 1 1/16" 3' 0 5/8" 2' 11 7/8" 30"
	SCSL2630 SPSL2630	SCSL3030 SPSL3030	SCSL4030 SPSL4030	SCSL5030 SPSL5030	SCSL6030 SPSL6030		
3' - 5 5/16" 3' - 6 5/16" 3' - 5 5/16" 36"							3' 7 1/16" 3' 6 5/8" 3' 5 7/8" 36"
	SCSL2636 SPSL2636	SCSL3036 SPSL3036	SCSL4036 SPSL4036	SCSL5036 SPSL5036	SCSL6036 SPSL6036		
3' - 11 1/16" 4' - 0 1/16" 3' - 11 1/16" 42"							4' 1 1/16" 4' 0 1/8" 3' 11 7/8" 42"
	SCSL2640 SPSL2640	SCSL3040 SPSL3040	SCSL4040 SPSL4040	SCSL5040 SPSL5040	SCSL6040 SPSL6040		
4' - 11 1/16" 5' - 0 5/16" 4' - 11 1/16" 54"							5' 1 1/16" 5' 0 5/8" 4' 11 7/8" 54"
	SCSL2650 SPSL2650	SCSL3050 SPSL3050	SCSL4050 SPSL4050	SCSL5050 SPSL5050	SCSL6050 SPSL6050		
	2' - 7 15/16"	3' - 1 15/16"	4' - 1 15/16"	5' - 1 15/16"	6' - 1 15/16"		Unit
	2' - 6 1/16"	3' - 0 1/16"	4' - 0 1/16"	5' - 0 1/16"	6' - 0 1/16"		Rough Opening
	2' - 5 5/16"	2' - 11 1/16"	3' - 11 1/16"	4' - 11 1/16"	5' - 11 1/16"		Frame Size
	11 1/16"	14 11/16"	20 11/16"	26 11/16"	32 11/16"		Glass

SLIDING

**Wood**




### ELEVATION SYMBOL LEGEND

E Unit meets Egress requirements for BOCA & IRC Code. State and local codes may differ.

Note: Both Sash are removable from the inside. Units may not be mulled on top of slide-by windows.

# SLIDING WINDOW: PREMIUM WOOD—SITELINE EX

## CLAD AND WOOD SLIDE-BY PICTURE UNITS

Clad		Wood		
	Unit	Unit	Rough Opening	
	Rough Opening	Rough Opening	Frame Size	
	Frame Size	Frame Size	Glass	
	Glass	Glass		
<b>SLIDING</b>	$7' - 11 \frac{5}{16}"$ $8' - 0 \frac{1}{4}"$ $7' - 11 \frac{5}{16}"$ $20 \frac{11}{16}"$	$3' - 5 \frac{9}{16}"$ $3' - 6 \frac{3}{8}"$ $3' - 5 \frac{9}{16}"$ $36"$	$3' - 7 \frac{1}{16}"$ $3' - 6 \frac{3}{8}"$ $3' - 5 \frac{9}{16}"$ $36"$	
		SCSL8036 SPSL8036		
	$3' - 11 \frac{1}{16}"$ $4' - 0 \frac{3}{4}"$ $3' - 11 \frac{1}{16}"$ $42"$		$4' - 1 \frac{1}{16}"$ $4' - 0 \frac{3}{8}"$ $3' - 11 \frac{7}{8}"$ $42"$	
	SCSL8040 SPSL8040			
	$4' - 11 \frac{1}{16}"$ $5' - 0 \frac{3}{4}"$ $4' - 11 \frac{1}{16}"$ $54"$		$5' - 1 \frac{1}{16}"$ $5' - 0 \frac{3}{8}"$ $4' - 11 \frac{7}{8}"$ $54"$	
	SCSL8050 SPSL8050			
	$8' - 1 \frac{15}{16}"$ $8' - 0 \frac{1}{4}"$ $7' - 11 \frac{5}{16}"$ $20 \frac{11}{16}"$		Unit Rough Opening Frame Size Glass	

### ELEVATION SYMBOL LEGEND

E Unit meets Egress requirements for BOCA & IRC Code. State and local codes may differ.

Note: Both Sash are removable from the inside. Units may not be mulled on top of slide-by windows.