



Custom Clad Impact and Non-Impact Rated Windows  
Florida Approvals

The performance information listed is intended to be used for reference only and is not complete. Depending on the components, accessories, and options chosen, the actual rating could vary. Confirm ratings for specific products with your supplier or JELD-WEN sales representative.

Product	Impact Resistant?	Hallmark Certified Performance Rating (DP)	2007 Florida Approval #	Expiration Date	NOA #	Approved in HVHZ	Approved outside of HVHZ	Wind Zone	Size Tested	Glazing
<b>Impact Rated: ImpactGard Windows and Patio Doors featuring SGP glass and a Kynar paint finish.</b>										
Custom Clad Double-Hung	Yes	50	10943.13 R1	03-Aug-10	N/A	No	Yes	4	37x76	Impact IG
Custom Clad Awning	Yes	+65/-75	11464.2 R0	18-Sep-13	08-0402.02	Yes	Yes	4	48x32	IG/SG
Custom Clad Awning	Yes	+65/-75	10938.4 R1	03-Aug-11	N/A	No	Yes	4	48x32	
Custom Clad Awning	Yes	65	11464.1 R0	08-Mar-12	06-1024.02	Yes	Yes	4	48x36	Impact IG
Custom Clad Awning	Yes	65	10938.3 R1	08-Jun-10	N/A	No	Yes	4	48x36	Impact IG
Custom Clad Casement	Yes	+65/-75	11465.3 R1	13-Nov-13	07-1218.07	Yes	Yes	4	36x72	Impact IG
Custom Clad Casement	Yes	+65/-75	10939.9 R1	30-May-11	N/A	No	Yes	4	36x72	Impact Monolithic
Custom Clad Casement	Yes	+65/-90	11465.2 R1	13-Nov-13	07-1218.07	Yes	Yes	4	32x54	Impact Monolithic
Custom Clad Casement	Yes	+70/-90	10939.10 R1	30-May-11	N/A	No	Yes	4	32x54	Impact Monolithic
Custom Clad Casement	Yes	60	11465.1 R1	10-Sep-11	07-0501.12	Yes	Yes	4	32x72	Impact Monolithic
Custom Clad Casement	Yes	65	10939.8 R1	07-Jun-10	N/A	No	Yes	4	36x72	Impact IG
Custom Clad Casement	Yes	65	11465.6 R1	08-Mar-12	06-1024.05	Yes	Yes	4	36x72	Impact IG
Custom Clad Casement Fixed	Yes	65	10338.2 R2	08-Jun-10	N/A	No	Yes	4	60x72	Impact IG
Custom Clad Casement In-Sash	Yes	+60/-75	11465.5 R1	08-Sep-13	08-0117.05	Yes	Yes	4	36x72	Impact Monolithic
Custom Clad Casement In-Sash	Yes	+60/-90	11465.4 R1	13-Nov-13	08-0117.05	Yes	Yes	4	32x54	Impact Monolithic
Custom Clad Casement In-Sash Picture	Yes	+90/-95	10338.5 R2	26-Jun-11	N/A	No	Yes	4	36x72	Impact Monolithic
Custom Clad Casement In-Sash Picture	Yes	65	10338.3 R2	23-Jun-10	N/A	No	Yes	4	60x72	Impact IG
Custom Clad Casement In-Sash Window	Yes	58.9	11467.2 R1	08-Mar-12	06-1024.06	Yes	Yes	4	60x72	Impact IG
Custom Clad Casement In-Sash Window	Yes	61.7	11467.4 R1	08-Mar-12	06-1024.06	Yes	Yes	4	60x72	Tempered/Impact IG
Custom Clad Casement In-Sash Window	Yes	65	11467.3 R1	08-Mar-12	06-1024.06	Yes	Yes	4	60x72	Impact Monolithic
Custom Clad Casement In-Sash Window	Yes	65	11467.1 R1	08-Mar-12	06-1024.01	Yes	Yes	4	36x72	Impact IG
Custom Clad Casement Picture	Yes	+90/-95	10338.7 R2	05-Jul-11	N/A	No	Yes	4	36x72	Impact IG
Custom Clad Casement Picture	Yes	+90/-95	11467.9 R1	18-Sep-13	07-1218.06	Yes	Yes	4	36x72	Laminated IG
Custom Clad Casement Picture	Yes	58.9	11467.5 R1	08-Mar-12	06-1024.04	Yes	Yes	4	60x72	Impact IG
Custom Clad Casement Picture	Yes	61.7	11467.7 R1	08-Mar-12	06-1024.04	Yes	Yes	4	60x72	Impact IG
Custom Clad Casement Picture	Yes	65	11467.6 R1	08-Mar-12	06-1024.04	Yes	Yes	4	60x72	Impact IG
Custom Clad Casement Picture	Yes	75	11467.8 R1	18-Sep-13	07-1218.06	Yes	Yes	4	36x72	Laminated IG
Custom Clad Casement Picture	Yes	75	11467.10 R1	18-Sep-13	07-1218.06	Yes	Yes	4	60x72	Tempered/Impact IG
Custom Clad Casement Picture	Yes	75	10338.6 R2	05-Jul-11	N/A	No	Yes	4	60x72	Tempered/Impact IG
Custom Clad Casement Picture 2-wide	Yes	45	10338.8 R2	09-Jan-11	N/A	No	Yes	4	72x72	Impact Monolithic
Custom Clad Center Swing Patio Door	Yes	50	10944.3 R2	25-Oct-10	N/A	No	Yes	4	75x98	Tempered/Impact IG

Product	Impact Resistant?	Hallmark Certified Performance Rating (DP)	2007 Florida Approval #	Expiration Date	NOA #	Approved in HVHZ	Approved outside of HVHZ	Wind Zone	Size Tested	Glazing
<b>(cont) Impact Rated: ImpactGard Windows and Patio Doors featuring SGP glass and a Kynar paint finish.</b>										
Custom Clad Center Swing Patio Door	Yes	50	10944.2 R2	25-Oct-10	N/A	No	Yes	4	75x98	Tempered/Impact IG
Custom Clad Direct set	Yes	100	10338.11 R2	05-Jul-11	N/A	No	Yes	4	48x120	HS/Impact Mono
Custom Clad Direct Set	Yes	100	11467.12 R1	18-Sep-13	07-1218.05	Yes	Yes	4	48x120	Tempered/Impact IG
Custom Clad Direct Set	Yes	45.2	11467.19 R1	08-Mar-12	06-1024.03	Yes	Yes	4	60x96	Laminated Monoithic
Custom Clad Direct Set	Yes	50	11467.13 R1	26-Feb-11	07-0411.13	Yes	Yes	4	60x120	HS/Impact Mono
Custom Clad Direct Set	Yes	56	11467.17 R1	08-Mar-12	06-1024.03	Yes	Yes	4	60x96	Laminated Monoithic
Custom Clad Direct Set	Yes	56.9	11467.18 R1	08-Mar-12	06-1024.03	Yes	Yes	4	60x96	Laminated Monoithic
Custom Clad Direct Set	Yes	65	11467.14 R1	26-Feb-11	07-0411.13	Yes	Yes	4	48x96	Tempered/Impact IG
Custom Clad Direct set	Yes	65	10338.16 R2	22-Jun-10	N/A	No	Yes	4	60x96	Impact IG
Custom Clad Direct set	Yes	65	10338.14 R2	22-Jun-10	N/A	No	Yes	4	60x72	Tempered/Impact IG
Custom Clad Direct Set	Yes	75	11467.15 R1	26-Feb-11	07-0411.13	Yes	Yes	4	48x60	Laminated Monoithic
Custom Clad Direct set	Yes	75	10338.13 R2	26-Jun-11	N/A	No	Yes	4	60x72	Tempered/Impact IG
Custom Clad Direct Set	Yes	75	11467.16 R1	26-Feb-11	07-0411.13	Yes	Yes	4	36x60	Laminated Monoithic
Custom Clad Direct set	Yes	80	10338.12 R2	05-Jul-11	N/A	No	Yes	4	120x60	Tempered/Impact IG
Custom Clad Direct set	Yes	80	10338.10 R2	05-Jul-11	N/A	No	Yes	4	60x120	Tempered/Impact IG
Custom Clad Direct Set	Yes	80	11467.11 R1	18-Sep-13	07-1218.05	Yes	Yes	4	60x120	Tempered/Impact IG
Custom Clad Double Hung	Yes	+55/-75	11466.1 R0	18-Sep-13	08-0402.03	Yes	Yes	4	37 3/8x76	IG/SG
Custom Clad Double Hung Picture	Yes	+55/-65	10338.18 R2	15-Jun-11	N/A	No	Yes	4	37x76	Impact IG
Custom Clad Double Hung Picture	Yes	+55/-75	10338.19 R2	15-May-11	N/A	No	Yes	4	49x76	Impact Monoithic
Custom Clad Double Hung Picture	Yes	50	10338.20 R2	10-Aug-10	N/A	No	Yes	4	49x76	Impact IG
Custom Clad Double Hung Transom	Yes	65	10338.23 R2	24-Jun-10	N/A	No	Yes	4	49x48	Impact IG
Custom Clad Fixed Double Hung	Yes	+55/-65	11467.22 R1	18-Sep-13	08-0402.01	Yes	Yes	4	37 3/8x66	Impact IG
Custom Clad Fixed Double Hung	Yes	+55/-69.8	11467.20 R1	18-Sep-13	08-0402.01	Yes	Yes	4	49 3/8x66	Laminated Monoithic
Custom Clad Fixed Double Hung	Yes	+55/-69.8	11467.23 R1	18-Sep-13	08-0402.01	Yes	Yes	4	49 3/8x76	Laminated Monoithic
Custom Clad Fixed Double Hung	Yes	+55/-74	11467.21 R1	18-Sep-13	08-0402.01	Yes	Yes	4	49 3/8x72	Laminated Monoithic
Custom Clad Fixed Double Hung	Yes	+55/-75	11467.24 R1	18-Sep-13	08-0402.01	Yes	Yes	4	37 3/8x76	Impact IG
Custom Clad In-Sash Casement	Yes	65	10338.25 R2	15-May-10	N/A	No	Yes	4	36x72	Impact IG
Custom Clad In-Sash Geometric	Yes	+65/-75	10939.12 R1	19-Jun-11	N/A	No	Yes	4	36x72	
Custom Clad In-Sash Geometric	Yes	+70/-90	10939.13 R1	19-Jun-11	N/A	No	Yes	4	32x54	Impact IG
Custom Clad Out-Swing French Door	Yes	+50/-60	10944.4 R2	27-Feb-11	N/A	No	Yes	4	75x98	Tempered/Impact IG
Custom Clad Out-Swing French Door	Yes	+50/-60	10944.5 R2	27-Feb-11	N/A	No	Yes	4	75x98	Tempered/Impact IG
Custom Clad Outswing French Door (XX)	Yes	+60/-62	11463.1 R0	11-Feb-12	07-0314.01	Yes	Yes	4	75 1/8x98	Impact Monoithic
Custom Clad Wide Stile Gliding Door Fixed Lite	Yes	50	10338.27 R2	21-Oct-10	N/A	No	Yes	4	52x98	Tempered/Impact IG
Custom Clad Wide Stile Gliding Patio Door	Yes	50	11461.1 R0	19-Feb-12	07-0501.11	Yes	Yes	4	95 5/8x98 1/2	IG
Custom Clad Wide Stile Gliding Patio Door	Yes	60	11461.2 R0	19-Feb-12	07-0501.11	Yes	Yes	4	74 5/8"x98 1/2"	IG
Custom Gliding Wide Stile Door	Yes	50	10335.4 R2	18-Oct-10	N/A	No	Yes	4	98x98	Tempered/Impact IG

Product	Impact Resistant?	Hallmark Certified Performance Rating (DP)	2007 Florida Approval #	Expiration Date	NOA #	Approved in HVHZ	Approved outside of HVHZ	Wind Zone	Size Tested	Glazing
<b>Impact Rated: Windows and Patio Doors featuring PVB glass and a polyester paint finish.</b>										
Custom Clad Awning	Yes	C65	10938.3	08-Jun-10	N/A	No	Yes	4	48x36	Impact IG
Custom Clad Casement	Yes	C65	10338.24	15-Jun-10	N/A	No	Yes	4	36x72	Impact IG
Custom Clad Casement Picture	Yes	C65	10338.2	08-Jun-10	N/A	No	Yes	4	60x72	Impact IG
Custom Clad Casement Insash Geo	Yes	C65	10338.3	22-Jun-10	N/A	No	Yes	4	60x72	Impact IG
Custom Clad Direct Set	Yes	C65	10338.16	22-Jun-10	N/A	No	Yes	4	60x72	Impact IG
Custom Clad Double-Hung	Yes	LC50	10943.13	03-Aug-10	n/a	No	Yes	3	37.375x76	Impact IG
Custom Clad Double-Hung Picture	Yes	C50	10338.20	10-Aug-10	N/A	No	Yes	4	49.375x48	Impact IG
Custom Clad Double-Hung Transom	Yes	R65	10338.23	24-Jun-10	N/A	No	Yes	4	49.375x48	Impact IG
Custom Clad Fixed Patio Door Wide Stile	Yes	R50	10338.26	21-Oct-10	N/A	No	Yes	4	52.75x98.5	Impact IG
Custom Clad Gliding Patio Door Wide Stile	Yes	C50	10335.4	24-Oct-10	N/A	No	Yes	4	98x98	Impact IG
Custom Clad Hinged Outswing French	Yes	SHED +50/-60	10944.4	27-Feb-11	N/A	No	Yes	4	75.19x98.06	Impact IG
Custom Clad Center Hinged Outswing XO	Yes	SHED 50	10944.1	25-Oct-10	N/A	No	Yes	4	75.19x98.125	Impact IG
Product	Impact Resistant?	Hallmark Certified Performance Rating (DP)	2007 Florida Approval #	Expiration Date	NOA #	Approved in HVHZ	Approved outside of HVHZ	Wind Zone	Size Tested	Glazing
<b>Non Impact-Rated</b>										
Custom Clad Double Hung	No	35	10943.1 R1	16-Mar-10	N/A	No	Yes	N/A	49x77	Annealed IG
Custom Clad Double Hung	No	35	10943.4 R1	14-Mar-10	N/A	No	Yes	N/A	37x96	Annealed IG
Custom Clad Double Hung	No	35	10943.3 R1	25-Apr-10	N/A	No	Yes	N/A	41x88	Annealed IG
Custom Clad Double Hung	No	40	10943.2 R1	16-Jun-10	N/A	No	Yes	N/A	49x77	Annealed IG
Custom Clad Double Hung	No	40	10943.5 R1	14-Mar-10	N/A	No	Yes	N/A	37x96	Annealed IG
Custom Clad Double Hung	No	50	10943.8 R1	22-Mar-10	N/A	No	Yes	N/A	49x48	Annealed IG
Custom Clad Double Hung	No	50	10943.9 R1	22-Mar-10	N/A	No	Yes	N/A	45x60	Annealed IG
Custom Clad Double Hung	No	50	10943.7 R1	16-Feb-10	N/A	No	Yes	N/A	35x72	Annealed IG
Custom Clad Double Hung	No	50	10943.6 R1	16-Feb-10	N/A	No	Yes	N/A	41x68	Annealed IG
Custom Clad Double-Hung	No	35	10943.10 R1	16-Mar-10	N/A	No	Yes	N/A	45x80	Annealed IG
Custom Clad Double-Hung	No	40	10943.11 R1	16-Mar-10	N/A	No	Yes	N/A	45x80	Annealed IG
Custom Clad Double-Hung	No	40	10943.12 R1	25-May-10	N/A	No	Yes	N/A	41x88	Annealed IG
Custom Clad Awning	No	35	10938.1 R1	01-Aug-10	N/A	No	Yes	N/A	60x48	Annealed IG
Custom Clad Awning	No	65	10938.2 R1	08-Jun-10	N/A	No	Yes	N/A	48x36	Impact Monolithic
Custom Clad Casement	No	50	10939.1 R1	04-Apr-10	N/A	No	Yes	N/A	36x84	Annealed IG
Custom Clad Casement	No	50	10939.2 R1	04-Apr-10	N/A	No	Yes	N/A	36x84	Annealed IG
Custom Clad Casement	No	50	10939.5 R1	31-Mar-10	N/A	No	Yes	N/A	30x84	Annealed IG
Custom Clad Casement	No	65	10939.6 R1	09-Mar-10	N/A	No	Yes	N/A	32x24	Annealed IG
Custom Clad Casement	No	65	10939.4 R1	10-Mar-10	N/A	No	Yes	N/A	36x72	Annealed Monolithic
Custom Clad Casement	No	65	10939.3 R1	14-Mar-10	N/A	No	Yes	N/A	36x48	Annealed IG
Custom Clad Casement	No	65	10939.7 R1	07-Jun-10	N/A	No	Yes	N/A	36x72	Impact Monolithic
Custom Clad Casement Fixed	No	65	10338.1 R2	08-Jun-10	N/A	No	Yes	N/A	60x72	Impact IG

Product	Impact Resistant?	Hallmark Certified Performance Rating (DP)	2007 Florida Approval #	Expiration Date	NOA #	Approved in HVHZ	Approved outside of HVHZ	Wind Zone	Size Tested	Glazing
<b>(cont) Non Impact-Rated</b>										
Custom Clad Casement In-Sash Picture	No	65	10338.4 R2	23-Jun-10	N/A	No	Yes	N/A	60x72	Tempered/Impact IG
Custom Clad Casement Picture 2-wide	No	45	10338.9 R2	09-Jan-11	N/A	No	Yes	N/A	72x72	Impact Monolithic
Custom Clad Casement Sector	No	50	10939.11 R1	31-Mar-10	N/A	No	Yes	N/A	30x84	Annealed IG
Custom Clad Center Swing Patio Door	No	50	10944.1 R2	25-Oct-10	N/A	No	Yes	N/A	75x98	Tempered/Impact IG
Custom Clad Direct set	No	65	10338.17 R2	22-Jun-10	N/A	No	Yes	N/A	60x96	Impact Monolithic
Custom Clad Direct set	No	65	10338.15 R2	22-Jun-10	N/A	No	Yes	N/A	60x72	Tempered/Impact IG
Custom Clad Double Hung Picture	No	50	10338.21 R2	10-Aug-10	N/A	No	Yes	N/A	37x76	Impact IG
Custom Clad Double Hung Transom	No	65	10338.22 R2	24-Jun-10	N/A	No	Yes	N/A	49x48	Impact IG
Custom Clad Gliding Patio Door	No	20	10335.2 R2	02-May-11	N/A	No	Yes	N/A	196x99	Tempered IG.
Custom Clad In-Sash Casement	No	65	10338.24 R2	15-Jun-10	N/A	No	Yes	N/A	36x72	Impact Monolithic
Custom Clad Inswing Door (X)	No	30	11861.2 R0	19-Apr-11	N/A	No	Yes	N/A	37"x98"	Tempered IG.
Custom Clad Inswing Door (X)	No	30	11861.1 R0	19-Apr-11	N/A	No	Yes	N/A	43"x98"	Tempered IG.
Custom Clad Inswing Door (XO)	No	35	11861.3 R0	18-Jun-11	N/A	No	Yes	N/A	74 1/2"x98 1/2"	Tempered IG.
Custom Clad Inswing French Door (XX)	No	35	11861.4 R0	16-Aug-11	N/A	No	Yes	N/A	74 3/4"x98 1/2"	Tempered IG.
Custom Clad Outswing Door (X)	No	35	11861.6 R0	08-May-11	N/A	No	Yes	N/A	44"x98"	
Custom Clad Outswing Door (X)	No	50	11861.5 R0	18-Apr-11	N/A	No	Yes	N/A	38"x98"	
Custom Clad Outswing Door (XO)	No	35	11861.7 R0	04-Apr-11	N/A	No	Yes	N/A	75 15/16"x98 1/8"	Tempered IG.
Custom Clad Outswing Door (XOO)	No	35	11861.8 R0	20-Aug-11	N/A	No	Yes	N/A	112"x98"	Tempered IG.
Custom Clad Out-Swing French Door	No	50	10944.6 R2	27-Feb-11	N/A	No	Yes	N/A	75x98	Tempered/Impact IG
Custom Clad Outswing French Door (XX)	No	35	11861.9 R0	28-Jun-11	N/A	No	Yes	N/A	75 3/8"x98 1/8"	Tempered IG.
Custom Clad Wide Stile Gliding Door Fixed Lite	No	50	10338.26 R2	21-Oct-10	N/A	No	Yes	N/A	52x98	Tempered/Impact IG
Custom Clad Wide Stile Gliding Patio door	No	50	10335.1 R2	14-Feb-12	N/A	No	Yes	N/A	98 5/8x98 1/2	Tempered IG.
Custom Clad Wood Double-Hung with wind clips	No	50	10943.29 R1	02-Aug-10	N/A	No	Yes	N/A	33x96	Annealed IG
Custom Clad Horizontal Gliding Window	No	35	11859.2 R0	20-Aug-12	N/A	No	Yes	N/A	95 1/2"x59 1/2"	Annealed IG
Custom Clad Horizontal Gliding Window	No	35	11859.1 R0	20-Aug-12	N/A	No	Yes	N/A	71 1/2"x59 1/2"	Annealed IG
Custom Gliding Wide Stile Door	No	50	10335.3 R2	18-Oct-10	N/A	No	Yes	N/A	98x98	Tempered/Impact IG
Custom Wood Horizontal Gliding Window	No	35	11859.3 R0	23-Jul-12	N/A	No	Yes	N/A	71 1/2"x59 1/2"	Annealed IG
Custom Wood Horizontal Gliding Window	No	35	11859.4 R0	23-Jul-12	N/A	No	Yes	N/A	95 1/2"x59 1/2"	Annealed IG
Custom Wood Casement	No	50	10939.16 R1	30-Mar-10	N/A	No	Yes	N/A	36x84	Annealed IG
Custom Wood Casement	No	65	10939.14 R1	05-Apr-10	N/A	No	Yes	N/A	36x72	Annealed Monolithic
Custom Wood Casement	No	65	10939.15 R1	11-Apr-10	N/A	No	Yes	N/A	32x24	Annealed IG
Custom Wood Casement	No	65	10939.17 R1	25-Apr-10	N/A	No	Yes	N/A	36x48	Annealed IG
Custom Wood Casement Radius	No	50	10939.18 R1	04-Apr-10	N/A	No	Yes	N/A	30x84	Annealed IG
Custom Wood Casement Sector	No	65	10939.19 R1	04-Apr-10	N/A	No	Yes	N/A	30x84	Annealed IG
Custom Wood Double Hung	No	35	10943.14 R1	04-Apr-10	N/A	No	Yes	N/A	37x96	Annealed IG
Custom Wood Double Hung	No	35	10943.18 R1	23-Mar-10	N/A	No	Yes	N/A	45x80	Annealed IG
Custom Wood Double Hung	No	35	10943.16 R1	24-Apr-10	N/A	No	Yes	N/A	49x77	Annealed IG

Product	Impact Resistant?	Hallmark Certified Performance Rating (DP)	2007 Florida Approval #	Expiration Date	NOA #	Approved in HVHZ	Approved outside of HVHZ	Wind Zone	Size Tested	Glazing
<b>(cont) Non Impact-Rated</b>										
Custom Wood Double Hung	No	40	10943.17 R1	24-Apr-10	N/A	No	Yes	N/A	49x77	Annealed IG
Custom Wood Double Hung	No	50	10943.19 R1	24-Apr-10	N/A	No	Yes	N/A	45x60	Annealed IG
Custom Wood Double Hung	No	50	10943.15 R1	04-Apr-10	N/A	No	Yes	N/A	33x96	Annealed IG
Custom Wood Double Hung Transom	No	50	10338.28 R2	16-Mar-10	N/A	No	Yes	N/A	37x48	Annealed IG
Custom Wood Double-Hung	No	35	10943.27 R1	31-May-10	N/A	No	Yes	N/A	41x88	Annealed IG
Custom Wood Double-Hung	No	40	10943.25 R1	25-May-10	N/A	No	Yes	N/A	37x96	Annealed IG
Custom Wood Double-Hung	No	40	10943.20 R1	12-Apr-10	N/A	No	Yes	N/A	37x80	Annealed IG
Custom Wood Double-Hung	No	40	10943.28 R1	23-Mar-10	N/A	No	Yes	N/A	45x72	Annealed IG
Custom Wood Double-Hung	No	50	10943.26 R1	25-May-10	N/A	No	Yes	N/A	33x96	Annealed IG
Custom Wood Double-Hung	No	50	10943.22 R1	12-Apr-10	N/A	No	Yes	N/A	49x48	Annealed IG
Custom Wood Double-Hung	No	50	10943.24 R1	13-Apr-10	N/A	No	Yes	N/A	37x48	Annealed IG
Custom Wood Double-Hung	No	50	10943.23 R1	13-Apr-10	N/A	No	Yes	N/A	35x72	Annealed IG
Custom Wood Double-Hung	No	50	10943.21 R1	12-Apr-10	N/A	No	Yes	N/A	41x68	Annealed IG
Custom Wood Gliding Patio Door	No	20	10335.5 R2	14-May-11	N/A	No	Yes	N/A	150x99	Tempered IG.
Custom Wood Gliding Patio Door	No	20	10335.6 R2	23-Aug-11	N/A	No	Yes	N/A	196x99	Tempered IG.
Custom Wood Inswing Door (X)	No	35	11861.10 R0	17-Apr-11	N/A	No	Yes	N/A	43 1/2"x98 1/2"	Tempered IG.
Custom Wood Inswing Door (XO)	No	50	11861.11 R0	15-May-11	N/A	No	Yes	N/A	74 5/8"x98 1/2"	Tempered IG.
Custom Wood Outswing Door (X)	No	35	11861.12 R0	21-Jun-11	N/A	No	Yes	N/A	43 1/2"x97 3/4"	Tempered IG.
Custom Wood Outswing Door (X)	No	50	11861.13 R0	05-Jul-11	N/A	No	Yes	N/A	37 1/2"x97 3/4"	Tempered IG.

